Version N1 Page 1 of 6
Date of Issue: February 2006

SAFETY DATA SHEET

Section 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: TALON® Pellets RODENTICIDE

Other Names: Product code: A10976C

Recommended Use: Rodenticide

Company Details: Syngenta Crop Protection Pty Limited

ABN 33 002 933 717

Address: Level 1, 2-4 Lyon Park Road

NORTH RYDE NSW 2113

AUSTRALIA

Telephone Number: (02) 8876 8444

Emergency Telephone Number: 24 hours - 1800 033 111

Section 2: HAZARDS IDENTIFICATION

Hazard Classification: Classified as hazardous according to the criteria of NOHSC

Risk Phrases: R27/28 Very toxic in contact with skin and if swallowed

R48/24/25 Toxic: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.

Safety Phrases: --

Section 3: COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE

Chemical Identity of Pure Substance: Brodifacoum

Synonym: PP581 **CAS Number:** 56073-10-0

MIXTURE		
Chemical Identity of Ingredients	CAS No	Proportion
		(% w/w)
Brodifacoum	56073-10-0	0.005
Other ingredients determined not to be hazardous		To 100

Section 4: FIRST AID MEASURES

Description of Necessary First Aid Measures:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131 126. Vitamin K1 (Phytomenadione) is

antidotal.

Swallowed: If swallowed, seek medical advice immediately and

show this container or label. Do not induce vomiting.

Eye: Rinse immediately with plenty of water, also under the

eyelids, for at least 15 minutes. Remove contact lenses. Immediate medical attention is required.

Skin: Take off all contaminated clothing immediately. Wash

off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing

before re-use.

Inhaled: Remove to fresh air. Keep patient warm and at rest. If

breathing is irregular or stopped, administer artificial respiration. Call a physician or Poison Control Centre

immediately..

Poisoning Symptoms: Symptoms of poisoning are typical of anticoagulants. In severe

cases there may be bruising, haematomas of the joints, blood in the faeces and urine. An antidote, Vitamin K1 (phytomenadione BP), should only be administered under the direction of a doctor who has access to a hospital laboratory. Doctors should refer to the leaflet 'The treatment of Anticoagulant Rodenticide Poisoning', 1988.

Medical Advice: NOTE TO PHYSICIANS AND VETERINARIANS

Brodifacoum, the active constituent of TALON Pellets, is a long lasting anticoagulant chemical, which if ingested by humans, domestic animals or pets, can reduce the clotting power of the blood and haemorrhage may result. Vitamin K1 (Phytomenadione) should be administered urgently by medical, appropriate paramedical personnel or veterinarians. If administered intravenously

the injection must be given slowly

Section 5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide extinguisher. DO NOT use direct jet of water.

Extinguishing media - large fires

Use alcohol-resistant foam or water spray. DO NOT use

direct jet of water.

Hazards from Combustion

Products:

This product contains cracked wheat that may burn and

produce white wood-fire like smoke.

Special Protective Precautions and Equipment for Fire Fighters:

When fighting a major fire wear self-contained breathing

apparatus and protective equipment.

Section 6: ACCIDENTIAL RELEASE MEASURES

Emergency Procedures: In case of spillage it is important to take all steps necessary to

Avoid eye and skin contact.

Avoid contamination of waterways

Methods and Materials for Containment and Clean Up:

1) Keep all bystanders away.

Wear full-length clothing and PVC gloves.

- 3) Reposition any leaking containers so as to minimise further leakage.
- 4) For a product spill: Sweep powder concentrate into a pile.
- 5) For a prepared spray spill: Dam and absorb spill with an absorbent material (e.g. sand or soil)
- 6) Shovel the absorbed material or powder concentrate into drums.
- 7) Decontaminate the spill area with detergent and water and rinse with water

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling:	Poisonous if swallowed. Do not inhale dust. Do not touch bait - use scoop or measure. If on skin and after each baiting, wash thoroughly with soap and water. Wash hands after use.
Conditions for Safe Storage:	Containers which have held bait should not be used for any other purpose. Store in the closed original container in a dry place out of the reach of children. Do not store in direct sunlight.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

ALWAYS READ AND FOLLOW THE LABEL INSTRUCTIONS AND WARNINGS

National Exposure Standards:	No official exposure standards have been set for any ingredients of this product.
Syngenta Exposure Standards:	Brodifacoum 8 hr TWA 0.002 mg/m³
Biological Limit Values:	No biological limit allocated
Engineering Controls:	No special controls needed. Product is used outdoors
Personal Protective Equipment:	Only use protective equipment bearing the mark of the Standards Association of Australia.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Emerald Green Pelletas	Boiling Point/Range:	Not Applicable
Odour:	No odour	Melting Point:	Not available
pH:	Not applicable	Solubility in water	Not soluble
Vapour Pressure:	Not available	Specific Gravity or Density:	0.6 0.7 g/ml

Flash point:	Does not flash	Explosive properties:	Not explosive
Upper and Lower	not highly flammable	Oxidising properties:	Not oxidising
Flammable (Explosive) Limits in Air:		Combustibility:	Combustible C2
Ignition Temperature:	Not available	Corrosiveness:	Not corrosive

Section 10: STABILITY AND REACTIVITY

Chemical Stability: Stable under standard conditions.

Conditions to Avoid: None known.

Incompatible Materials: None known.

Hazardous Decomposition

Products

Combustion or thermal decomposition will evolve smoke

Hazardous Reactions: None known.

Section 11: TOXICOLOGICAL INFORMATION

Health Effects from Likely Routes of Exposure:

Acute: Swallowing: VERY HIGH TOXICITY

Tests on rats indicate this product is very toxic following single doses

of the product. (LD₅₀ = 1.3 mg/kg)

Skin contact: LOW TOXICITY

Tests on rats indicate this product is NOT HARMFUL following skin

contact with active ingredient. (LD₅₀ = >2,000 mg/kg)

NOT IRRITANT

NOT A SKIN SENSITISER

Eye contact: NOT IRRITANT (Rabbit)

Inhalation: Inhalation is not a likely route of exposure.

Chronic No long term risks to man are associated with this material when handled and used as

: directed on the label.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Slightly toxic to fish LC₅₀ Rainbow trout, >100 mg/l, 96 h, Derived from

study results with brodifacoum.

Practically non toxic to algae EC50 (72 h) Scenedesmus subspicatus >100

mg/mL

Practically non toxic to aquatic invertebrates LC_{50} / EC_{50} (48 h) = >100

mg/l (Daphnia magna (water flea))

Practically non-toxic to soil dwelling organisms LC_{50} (14 d) = >1000

mg/kg soil (Eisenia foetida)

Practically non-toxic to bees

Persistence and Degradability:

Brodifacoum is practically insoluble in water. Slow degradation in soil

Mobility

Brodifacoum has low mobility in soil.

Environmental

Incorporated into organic molecules

Fate (Exposure):
Bioaccumulative

Brodifacoum has low potential for bioaccumulation

Potential:

Section 13: DISPOSAL CONSIDERATIONS

Disposal Methods and Containers:	Dispose of empty container, used bait stations and spilt bait by wrapping in paper, placing in plastic bag and putting in garbage
Special Precautions for Landfill or Incineration:	Not applicable

Section 14: TRANSPORT INFORMATION

LAND TRANSPORT ADG	Not a dangerous good		
UN Number:	None allocated	Packing Group:	None allocated
UN Proper Shipping Name:	None allocated	Special Precautions for User:	None allocated
Class:	None allocated	Hazchem Code:	None allocated
Subsidiary Risk:	None allocated		

SEA TRANSPORT IMDG	Not a dangerous good		
UN Number:	None allocated	Packing Group:	None allocated
UN Proper Shipping Name:	None allocated	Special Precautions for User:	None allocated
Class:	None allocated	Hazchem Code:	None allocated
Subsidiary Risk:			

AIR TRANSPORT IATA-DGR	Not a dangerous good		
UN Number:	None allocated	Packing Group:	None allocated
UN Proper Shipping Name:	None allocated	Special Precautions for User:	None allocated
Class:	None allocated	Hazchem Code:	None allocated
Subsidiary Risk:	None allocated		

Section 15: REGULATORY INFORMATION

APVMA Product Number:	33896
Poisons Schedule (SUSDP):	6

Section 16: OTHER INFORMATION

Date of preparation or last revision: February 2006

Source of Data: The information provided in this SDS is sourced from Syngenta internal studies which have been conducted according to Regulatory requirements including OECD and CIPAC Guidelines and EC Directives. A comprehensive package of toxicological and environmental data for the active ingredients of this product has been submitted to the government health and environment authorities and has been evaluated by expert toxicologists and environmental scientists.

Note: This product is a registered agricultural chemical and must, therefore, be used in accordance with the container label directions

CONTACT POINT: Regulatory Affairs Manager, Syngenta Crop Protection Pty Limited (02) 8876 8444

24 HOURS EMERGENCY CONTACT: 1800 033 111

This Material Safety Data Sheet summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

[®]Registered trademark of a Syngenta Group Company